

Thai Hung Co.,Ltd
 89A4 Cong Hoa Street,
 Ward 12, Tan Binh District, HCM
 Website : www.thaihungaudio.com



Hotline : (08)38423327

Electrovoice & Dynacord Price (1-5-2014)

No.	Category	Model	Material Description	Original	Unit	Retail Price (USD)	Retail Price (VNĐ)
1	Speakers EVID	EVID 3.2	Two-way twin 3.5" woofer and 7.5" direct radiator dome tweeter. Black cabinet. Includes mounting system	USA-CN	Pair	288.00	5,760,000
2		EVID 4.2	Two-way twin 4" woofer and 1" horn loaded 100 x 90 tweeter. Black cabinet. Includes mounting system	USA-CN	Pair	414.00	8,280,000
3		EVID 6.2	Two-way twin 6" woofer and 1" horn loaded 100 x 90 tweeter. Black cabinet. Includes mounting system	USA-CN	Pair	618.00	12,360,000
4		EVID 3.2t	Two-way twin 3.5" woofer and 7.5" direct radiator dome tweeter. Internal 70/100-volt line transformer. Black cabinet. Includes mounting system.	USA-CN	Pair	302.40	6,048,000
5		EVID 4.2t	Two-way twin 4" woofer and 1" horn loaded 100 x 90 tweeter. Internal 70/100-volt line transformer. Black cabinet. Includes mounting system.	USA-CN	Pair	426.00	8,520,000
6		EVID 6.2t	Two-way twin 6" woofer and 1" horn loaded 100 x 90 tweeter. Internal 70/100-volt line transformer. Black cabinet. Includes mounting system.	USA-CN	Pair	631.20	12,624,000
7		EVID 12.1	12" Dual voice coil subwoofer, Black cabinet.	USA-CN	PCS	620.40	12,408,000
8		C4.2	4" Coaxial speaker with horn loaded Ti coated tweeter - complete with back can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts	USA-CN	Pair	264.72	5,294,400
9		C8.2LP	8" coaxial speaker with horn loaded Ti coated tweeter - complete with LOW PROFILE back can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts	USA-CN	Pair	372.00	7,440,000
10		C8.2	8" Coaxial speaker with horn loaded Ti coated tweeter - complete with back can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts	USA-CN	Pair	372.00	7,440,000
11		C8.2HC	8" Waveguide Coupled (patent pending) coaxial speaker with horn loaded Ti coated tweeter - ideal for high ceiling environments - complete with back can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 60, 30, 15, 7.5,	USA-CN	Pair	518.40	10,368,000
12		C10.1	10" High performance subwoofer - complete with can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 60, 30, 15, 7.5, and 3.75 watts	USA-CN	Pair	490.20	9,804,000
13	Controller DSP	DC-One	DC-ONE-NA DC-ONE, 230V, 2-IN-6 Digital Speaker Controller	USA-CN	PCS	1,267.80	25,356,000
14		Dx46	Dx46, 230V, 2-IN-6 Digital Speaker Controller	USA-CN	PCS	2,199.00	43,980,000
15	"NEW-2014" Speakers ETX	ETX-10P-EU	10" TWO-WAY POWERED LOUDSPEAKER, 230V, 2000W	USA	PCS	1,740.00	34,800,000
16		ETX-12P-EU	12" TWO-WAY POWERED LOUDSPEAKER, 230V, 2000W	USA	PCS	1,860.00	37,200,000
17		ETX-15P-EU	15" TWO-WAY POWERED LOUDSPEAKER, 230V, 2000W	USA	PCS	1,974.00	39,480,000
18		ETX-35P-EU	15" THREE-WAY POWERED LOUDSPEAKER, 230V, 2000W	USA	PCS	2,376.00	47,520,000
19		ETX-15SP-EU	15" POWERED SUBWOOFER, 230V, 1800W	USA	PCS	2,184.00	43,680,000
20		ETX-18SP-EU	18" POWERED SUBWOOFER, 230V, 1800W	USA	PCS	2,352.00	47,040,000
21		ELX112	Passive 12" Two-way Speaker System, 250w/1000w	USA-CN	PCS	534.00	10,680,000
22		ELX115	Passive 15" Two-way Speaker System, 400w/1200w	USA-CN	PCS	650.40	13,008,000

23	Speakers Live X	ELX215	Passive Dual 15" Two-Way Speaker System, 600w/1800w	USA-CN	PCS	1,026.00	20,520,000
24		ELX118	Passive 18" Subwoofer System, 400w/1200w	USA-CN	PCS	846.00	16,920,000
25		ELX112P	Powered 12" Two-way Speaker System 230V, 250w/1000w	USA-CN	PCS	990.72	19,814,400
26		ELX115P	Powered 15" Two-way Speaker System 230V, 400w/1200w	USA-CN	PCS	1,147.20	22,944,000
27		ELX118P	Powered 18" Subwoofer System 230V, 400w/1200w	USA-CN	PCS	1,254.00	25,080,000
28	"News- 2013" Speakers ZLX	ZLX-12P-EU	Powered 12" Two-way Speaker System 230V, 250W/1000-W Class-D amplifier for best-in-class sound	USA-CN	PCS	660.00	13,200,000
29		ZLX-15P-EU	Powered 15" Two-way Speaker System 230V, 400w/1200w Class-D amplifier for best-in-class sound	USA-CN	PCS	816.00	16,320,000
30		ZLX-12	Passive 12" Two-way Speaker System, 250w/1000w Class-D amplifier for best-in-class sound	USA-CN	PCS	462.00	9,240,000
31		ZLX-15	Passive 15" Two-way Speaker System, 400w/1200w Class-D amplifier for best-in-class sound	USA-CN	PCS	582.00	11,640,000
32	Speakers Tour X	TX1122	500 watts, 12-inch two-way, passive, 90° x 50° horn pattern, all-new SMX2120 woofer, DH3 compression driver, Backbone grille, integrated pole mount, angled input panel, rotatable logo, (6) 3/8" suspension points, black EVCOAT.	USA	PCS	1,125.60	22,512,000
33		TX1152	500 watts, 15-inch two-way, passive, 60° x 40° horn pattern, all-new SMX2151 woofer, DH3 compression driver, Backbone grille, integrated pole mount, angled input panel, rotatable logo, (6) 3/8" suspension points, black EVCOAT.	USA	PCS	1,194.00	23,880,000
34		TX2152	1000 watts, dual 15-inch two-way, passive, 60° x 40° horn pattern, all-new SMX2151 woofers, ND2 compression driver, Backbone grille, angled input panel, rotatable logo, (6) 3/8" suspension points, black EVCOAT.	USA	PCS	2,064.00	41,280,000
35		TX1181	500 watts, 18-inch subwoofer, EVS-18S woofer, Backbone grille, integrated top pole mount, angled input panel, rotatable logo, black EVCOAT.	USA	PCS	1,190.40	23,808,000
36		TX2181	1000 watts, dual 18-inch subwoofer, EVS-18S woofers, Backbone grille, angled input panel, rotatable logo, black EVCOAT.	USA	PCS	1,938.00	38,760,000
37		TX1122FM	500 watts, 12-inch two-way dedicated vertical floor monitor, passive, 90° x 50° horn pattern, all-new SMX2121 woofer, DH3 compression driver, patent pending SST (Signal Synchronized Transducers), Backbone grille, angled input panel, rotatable logo, black EVCOAT.	USA	PCS	1,158.00	23,160,000
38		TX1152FM	500 watts, 15-inch two-way dedicated vertical floor monitor, passive, 90° x 50° horn pattern, all-new SMX2151 woofer, DH3 compression driver, patent pending SST (Signal Synchronized Transducers), Backbone grille, angled input panel, rotatable logo, black EVCOAT.	USA	PCS	1,190.40	23,808,000
39	Speakers S- series	S-40B	160-watt 5-1/4-inch two-way, 100° x 100°, weather resistant, flying and stand mount (optional - requires S-40MBB hardware), black polystyrene (pair)	USA-CN	Pair	228.00	4,560,000
40		S-40W	160-watt 5-1/4-inch two-way, 100° x 100°, weather resistant, flying and stand mount (optional - requires S-40MBW hardware), white polystyrene (pair)	USA-CN	Pair	228.00	4,560,000
41		ZXA1	8" powered, 230V	USA-CN	PCS	780.00	15,600,000
42		ZXA1-Sub	12" Subwoofer, powered, 230V	USA-CN	PCS	1,044.00	20,880,000
43		ZX1-90@ZH	200 watt 8" two-way speaker system with EV DH2005 hi-frequency compression driver. 2 NL4 connectors. 90x50 coverage pattern with rotatable waveguid. Includes integrated pole mount, carrying slot and rubber feet. Black high impact polymer cabinet.	USA-CN	PCS	498.00	9,960,000
44		ZX1-90W@ZH	200 watt 8" two-way speaker system with EV DH2005 hi-frequency compression driver. 2 NL4 connectors. 90x50 coverage pattern with rotatable waveguid. Includes integrated pole mount, carrying slot and rubber feet. White high impact polymer cabinet.	USA-CN	PCS	498.00	9,960,000

45	Speakers ZX series	ZX1i-90@HE	200 watt 8" two-way speaker system with EV DH2005 hi-frequency compression driver. 2 NL4 connectors. 90x50 coverage pattern with rotatable waveguid. Includes integrated pole mount, carrying slot and rubber feet. Black high impact polymer cabinet.	Mexico	PCS	618.36	12,367,200
46		ZX1i-90W@HE	200 watt 8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 90x50 coverage pattern with rotatable waveguid. Includes QuickSAM mount bracket and 4 pole phoenix connector. White high impact polymer cabinet.	Mexico	PCS	618.36	12,367,200
47		ZX1i-100W@HE	200 watt 8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 100x100 coverage pattern .Includes QuickSAM mount bracket and 4 pole phoenix connector. Black high impact polymer cabinet. White high impact polymer cabinet.	Mexico	PCS	618.36	12,367,200
48		ZX1i-100@HE	200 watt 8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 100x100 coverage pattern .Includes QuickSAM mount bracket and 4 pole phoenix connector. Black high impact polymer cabinet.	Mexico	PCS	618.36	12,367,200
49		ZX1i-100T@HE	8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 100x100 coverage pattern .Includes QuickSAM mount bracket and 4 pole phoenix connector. Includes transformer for 70/100v operation at 6.5, 12.5, 25, 50,100 watts. Black high impact polymer cabinet.	Mexico	PCS	739.20	14,784,000
50		ZX1i-100TW@HE	8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 100x100 coverage pattern .Includes QuickSAM mount bracket and 4 pole phoenix connector. Includes transformer for 70/100v operation at 6.5, 12.5, 25, 50,100 watts. White high impact polymer cabinet.	Mexico	PCS	739.20	14,784,000
51		ZX3-60B@HE	600-Watt, 12" two-way loudspeaker system, bi-amp or passive, 60 X 60 horn, integral stand mount, Neutrik Speakon, Black	Mexico	PCS	1,377.60	27,552,000
52		ZX3-60PI-B@HE	600-Watt, weatherized, permanent installation, 12" two-way loudspeaker system, integral stand mount, 60 X 60 horn, Black	Mexico	PCS	1,704.00	34,080,000
53		ZX3-60PI-W@HE	600-Watt, weatherized, permanent installation, 12" two-way loudspeaker system, integral stand mount, 60 X 60 horn, White	Mexico	PCS	1,653.60	33,072,000
54		ZX3-60W@HE	600-Watt, 12" two-way loudspeaker system, bi-amp or passive, 60 X 60 horn, integral stand mount, Neutrik Speakon, White	Mexico	PCS	1,377.60	27,552,000
55		ZX3-90B@HE	600-Watt, 12" two-way loudspeaker system, bi-amp or passive, 90 X 50 horn, integral stand mount, Neutrik Speakon, Black	Mexico	PCS	1,377.60	27,552,000
56		ZX3-90PI-B@HE	600-Watt, weatherized, permanent installation, 12" two-way loudspeaker system, integral stand mount, 90 X 50 horn, Black	Mexico	PCS	1,344.00	26,880,000
57		ZX3-90PI-W@HE	600-Watt, weatherized, permanent installation, 12" two-way loudspeaker system, integral stand mount, 90 X 50 horn, White	Mexico	PCS	1,653.60	33,072,000
58		ZX3-90W@HE	600-Watt, 12" two-way loudspeaker system, bi-amp or passive, 90 X 50 horn, integral stand mount, Neutrik Speakon, White	Mexico	PCS	1,380.00	27,600,000
59		ZX4@HE	400-Watt, 15" two-way loudspeaker system, 90 X 50 horn, integral stand mount, Neutrik Speakon, Black	Mexico	PCS	1,065.84	21,316,800
60		ZX5-60B@HE	600-Watt, 15" two-way loudspeaker system, 60 X 60 horn, integral stand mount, Neutrik Speakon, Black	Mexico	PCS	1,502.76	30,055,200
61		ZX5-60PI@HE	600-Watt, weatherized, permanent installation, 15" two-way loudspeaker system, integral stand mount, 60 X 60 horn, Black	Mexico	PCS	1,861.68	37,233,600
62		ZX5-60W@HE	600-Watt, 15" two-way loudspeaker system, 60 X 60 horn, integral stand mount, Neutrik Speakon, White	Mexico	PCS	1,502.76	30,055,200
63		ZX5-90B@HE	600-Watt, 15" two-way loudspeaker system, 90 X 50 horn, integral stand mount, Neutrik Speakon, Black	Mexico	PCS	1,502.76	30,055,200
64		ZX5-90PI@HE	600-Watt, weatherized, permanent installation, 15" two-way loudspeaker system, integral stand mount, 90 X 50 horn, Black	Mexico	PCS	1,861.68	37,233,600

65		ZX5-90W@HE	600-Watt, 15" two-way loudspeaker system, 90 X 50 horn, integral stand mount, Neutrik Speakon, White	Mexico	PCS	1,502.76	30,055,200
66	Speakers QRX series (Disco)	QRX-112/75-BLK@L	12-inch two-way, 75° x 50° asymmetrical HF with DH7, 300 watts, passive/biamp, flying, pole mount, black	USA	PCS	2,148.00	42,960,000
67		QRX-112/75-WH@L	12-inch two-way, 75° x 50° asymmetrical HF with DH7, 300 watts, passive/biamp, flying, pole mount, white	USA	PCS	2,148.00	42,960,000
68		QRX-115/75-BLK LB	15-inch two-way, 75° x 50° asymmetrical HF with DH7, 400 watts, passive/biamp, flying, pole mount, black	USA	PCS	2,184.00	43,680,000
69		QRX-115/75-WH@L	15-inch two-way, 75° x 50° asymmetrical HF with DH7, 400 watts, passive/biamp, flying, pole mount, white	USA	PCS	2,184.00	43,680,000
70		QRX-118S-BLK@L	600 watt 18-inch subwoofer with EVX-180B driver, rectangular box, non-slip feet bottom and side, pole mount on top, black	USA	PCS	2,078.40	41,568,000
71		QRX-118S-WH@L	600 watt 18-inch subwoofer with EVX-180B driver, rectangular box, non-slip feet bottom and side, pole mount on top, white	USA	PCS	2,078.40	41,568,000
72		QRX-153/75-BLK LB	15-inch 3-way, 75° x 50° asymmetrical HF with DH7, asymmetrical MF horn with 8-inch cone, biamp only, flying, black	USA	PCS	2,985.60	59,712,000
73		QRX-212/75-BLK@L	Dual 12-inch two-way, 75° x 50° asymmetrical HF with DH7, 600 watts, passive/biamp, flying, black	USA	PCS	2,733.60	54,672,000
74		QRX-212/75-WH@L	Dual 12-inch two-way, 75° x 50° asymmetrical HF with DH7, 600 watts, passive/biamp, flying, white	USA	PCS	2,733.60	54,672,000
75		QRX-212H75-BLKLB	Dual 12-inch two-way, 75° x 50° asymmetrical HF with DH7, 600 watts, passive/biamp, flying, horizontal mount speaker system, black	USA	PCS	2,758.80	55,176,000
76		QRX-212H/75-WH@L	Dual 12-inch two-way, 75° x 50° asymmetrical HF with DH7, 600 watts, passive/biamp, flying, horizontal mount speaker system, white	USA	PCS	2,758.80	55,176,000
77		QRX-218S-BLK@L	1200 watt dual 18-inch subwoofer with EVX-180B drivers, comes with rear-mounted pocket wheels and 30-inch pole, black	USA	PCS	304.80	6,096,000
78	QRX218-BK-RIGLB	1200-watt dual 18-inch subwoofer with EVX-180B drivers, flying, black. NOTE: SPECIAL ORDER - please call for manufacturing leadtime	USA	PCS	3,824.40	76,488,000	
79		EVA2082S906BLB	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides. Passive operation only. 90° X 6°, EVCOAT, BLACK	USA	PCS	3,709.20	74,184,000
80		EVA2082S906FBL	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides. Passive operation only. 90° X 6°, FIBERGLASS, BLACK	USA	PCS	5,128.80	102,576,000
81		EVA2082S906FWL	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides. Passive operation only. 90° X 6°, FIBERGLASS, WHITE	USA	PCS	5,128.80	102,576,000
82		EVA2082S906PBLB	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides. Passive operation only. 90° X 6°, EVCOAT, PI-WEATHERIZED, BLACK	USA	PCS	4,640.40	92,808,000
83		EVA2082S906PWLB	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides. Passive operation only. 90° X 6°, EVCOAT, PI-WEATHERIZED, WHITE	USA	PCS	4,640.40	92,808,000
84		EVA2082S906WLB	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides. Passive operation only. 90° X 6°, EVCOAT, WHITE	USA	PCS	3,744.00	74,880,000
85		EVA2082S920BLB	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides. Passive operation only. 90° X 20°, EVCOAT, BLACK	USA	PCS	3,708.00	74,160,000
86		EVA2082S920FBL	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides. Passive operation only. 90° X 20°, FIBERGLASS, BLACK	USA	PCS	5,128.80	102,576,000

87	Speakers EVA	EVA2082S920FWL	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 90° X 20°, FIBERGLASS, WHITE	USA	PCS	5,128.80	102,576,000	
88		EVA2082S920PBLB	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 90° X 20°, EVCOAT, PI-WEATHERIZED, BLACK	USA	PCS	4,604.40	92,088,000	
89		EVA2082S920PWL	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 90° X 20°, EVCOAT, PI-WEATHERIZED, WHITE	USA	PCS	4,640.40	92,808,000	
90		EVA2082S920WLB	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 90° X 20°, EVCOAT, WHITE	USA	PCS	3,744.00	74,880,000	
91		EVA2082S126BLB	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 120° X 6°, EVCOAT, BLACK	USA	PCS	3,744.00	74,880,000	
92		EVA2082S126FBL	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 120° X 6°, FIBERGLASS, BLACK	USA	PCS	5,128.80	102,576,000	
93		EVA2082S126FWL	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 120° X 6°, FIBERGLASS, WHITE	USA	PCS	5,128.80	102,576,000	
94		EVA2082S126PBLB	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 120° X 6°, EVCOAT, PI-WEATHERIZED, BLACK	USA	PCS	4,640.40	92,808,000	
95		EVA2082S126PWL	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 120° X 6°, EVCOAT, PI-WEATHERIZED, WHITE	USA	PCS	4,640.40	92,808,000	
96		EVA2082S126WLB	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 120° X 6°, EVCOAT, WHITE	USA	PCS	3,744.00	74,880,000	
97		EVA2082S1220BLB	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 120° X 20°, EVCOAT, BLACK	USA	PCS	3,708.00	74,160,000	
98		EVA2082S1220FBL	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 120° X 20°, FIBERGLASS, BLACK	USA	PCS	5,128.80	102,576,000	
99		EVA2082S1220FWL	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 120° X 20°, FIBERGLASS, WHITE	USA	PCS	5,128.80	102,576,000	
100		EVA2082S1220PBL	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 120° X 20°, EVCOAT, PI-WEATHERIZED, BLACK	USA	PCS	4,640.40	92,808,000	
101		EVA2082S1220PWL	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 120° X 20°, EVCOAT, PI-WEATHERIZED, WHITE	USA	PCS	4,640.40	92,808,000	
102		EVA2082S1220WLB	EVA-2082S 350 watt (Passive) is a two-way multi-element speaker. Dual EVS-2008 8" woofers with four DH2005 hi-freq compression drivers on two Hydra™ waveguides.Passive operation only. 120° X 20°, EVCOAT, WHITE	USA	PCS	3,744.00	74,880,000	
103			SUB WOOFER					-
104			EVA-1151D-BLK@L	Single 15" Subwoofer Line-Array Module (Black)	USA	PCS	2,924.40	58,488,000
105			EVA-1151D-WHT@L	Single 15" Subwoofer Line-Array Module (White)	USA	PCS	2,924.40	58,488,000

106		EVA1151D-FGB-LB	Single 15" Subwoofer Line-Array Module Fiberglass (White)	USA	PCS	4,108.80	82,176,000
107		EVA1151D-FGW-LB	Single 15" Subwoofer Line-Array Module Fiberglass (Black)	USA	PCS	4,108.80	82,176,000
108		EVA-1151D-PIB@L	EVA-1151D-PIB, EVCOAT, WEATHERIZED	USA	PCS	3,249.60	64,992,000
109		EVA-1151D-PIW@L	EVA-1151D-PIW, EVCOAT, WEATHERIZED	USA	PCS	3,249.60	64,992,000
110		EVA-2151D-BLK@L	EVA-2151D BLACK DUAL 15-IN SUBWOOFER	USA	PCS	4,425.60	88,512,000
111		EVA-2151D-WHT@L	EVA-2151D WHITE DUAL 15-IN SUBWOOFER	USA	PCS	4,425.60	88,512,000
112		EVA-2151D-PIB@L	EVA-2151D BLACK WHEATERIZED SUBWOOFER	USA	PCS	5,056.80	101,136,000
113		EVA-2151D-PIW@L	EVA-2151D WHITE WHEATERIZED SUBWOOFER	USA	PCS	5,056.80	101,136,000
130	Speakers XLC	XLC127DVX@L	3-way Compact Line Array (triamped) 1 x 12" DVX3120 , 2 x 6.5" DVN2006, 2 x Hydra with ND6. 120o Horizontal coverage, integrated flying hardware, black	USA	PCS	8,059.20	161,184,000
131		XLC215@L	Subwoofer cabinet with 2 DVX3150 (1000-watt) speaker, integrated flying hardware,black	USA	PCS	5,319.60	106,392,000
132		XLC907DVX BLK LB	XLC 907DVX, BLACK, TOURING, LINE ARRAY ELEMENT, 1 X 12", 2 X 6.5", 2 X ND6-16, 90 DEG X 7 DEG	USA	PCS	8,059.20	161,184,000
133		XCS312-BLK-LB	XCS312-BLK, CARDIOID SUBWOOFER ELEMENT,	USA	PCS	5,716.80	114,336,000
134		XCS312-WHT-LB	XCS312-WHT, CARDIOID SUBWOOFER ELEMENT,	USA	PCS	6,349.20	126,984,000
143	Speaker EVU Series	EVU-1062/95-BLK	SINGLE 6.5 INCH TWO-WAY BLACK	CN	PCS	554.40	11,088,000
144		EVU-1062/95-WHT	SINGLE 6.5 INCH TWO-WAY WHITE	CN	PCS	554.40	11,088,000
145		EVU-2062/95-BLK	DUAL 6.5 INCH TWO-WAY BLACK	CN	PCS	816.00	16,320,000
146		EVU-2062/95-WHT	DUAL 6.5 INCH TWO-WAY WHITE	CN	PCS	816.00	16,320,000
147		EVU-1082/95-BLK	SINGLE 8 INCH TWO-WAY BLACK	CN	PCS	684.00	13,680,000
148		EVU-1082/95-WHT	SINGLE 8 INCH TWO-WAY WHITE	CN	PCS	684.00	13,680,000
149		EVU-2082/95-BLK	DUAL 8 INCH TWO-WAY BLACK	CN	PCS	945.00	18,900,000
150		EVU-2082/95-WHT	DUAL 8 INCH TWO-WAY WHITE	CN	PCS	945.00	18,900,000
151		EVU-TK60	70/100 VOLT TRANSFORMER KIT FOR EVU	CN	PCS	66.00	1,320,000
152	EVU-CDNL4	DUAL NL4 CONNECTOR COVER PLATE FOR EVU	CN	PCS	33.60	672,000	
153	Q Ampli	Q44-II-230V	Power Amplifier, 2x 450W @ 4 Ohms, 2U, 230V	USA-CN	PCS	888.00	17,760,000
154		Q66-II-230V	Power Amplifier, 2x 600W @ 4 Ohms, 2U, 230V	USA-CN	PCS	1,108.80	22,176,000
155		Q99-230V	Power Amplifier, 2x 900W @ 4 Ohms, 2U, 230V	USA-CN	PCS	1,384.80	27,696,000
156		Q1212-230V	Power Amplifier, 2x 1200W @ 4 Ohms, 2U, 230V	USA-CN	PCS	1,719.60	34,392,000
157	CP Ampli	CP3000S-230V	Power amplifier, 2 x 1100 watts at 4 ohms, Switch-Mode Power Supply, 2 RU, 18 lbs	Germany	PCS	3,074.40	61,488,000
158		CP4000S-230V	Power amplifier, 2 x 1400 watts at 4 ohms, Switch-Mode Power Supply, 2 RU	Germany	PCS	3,518.40	70,368,000
159	TG ampli	TG-5	TG-5 Tour Grade Amplifier, 2 x 1450W at 4 ohms, 2 x 1900W at 2 Ohms	Germany	PCS	5,871.60	117,432,000
160		TG-7	TG-7 Tour Grade Amplifier, 2 x 2500W at 4 ohms, 2 x 3500W at 2 Ohms	Germany	PCS	6,804.00	136,080,000
161	P Remote Control Amplifiers	P1200RL-230V	Power amplifier, 2 x 600 Watts @ 4 ohms, integrated DSP, remote control functionality, and barrier strip outputs	Germany	PCS	4,044.00	80,880,000
162		P1200RT-230V	Power amplifier, 2 x 580 Watts @ 70V, integrated DSP, remote control functionality, and barrier strip outputs	Germany	PCS	4,813.20	96,264,000
163		P3000RL-230V	Power amplifier, 2 x 1300 Watts @ 4 ohms, integrated DSP, and remote control functionality	Germany	PCS	6,445.20	128,904,000
164		PA 1250T	PA 1250T 120V / 230V POWER AMPLIFIER	Germany	PCS	782.40	15,648,000
165		PA 2250T	PA 2250T 120V / 230V POWER AMPLIFIER	Germany	PCS	1,056.60	21,132,000

166	PA Ampli	PA 1400T	PA 2400T 120V / 230V POWER AMPLIFIER	Germany	PCS	1,312.80	26,256,000
167		PA 2450L	PA 2450L 120V / 230V POWER AMPLIFIER	Germany	PCS	856.80	17,136,000
168		PA 4150L	PA 4150L 120V / 230V POWER AMPLIFIER	Germany	PCS	1,010.40	20,208,000
169	CPS Ampli CPS ampli	CPS2.4-II - 230V	CPS2.4-II 230V	CN	PCS	1,033.80	20,676,000
170		CPS2.6-II - 230V	CPS2.6-II 230V	CN	PCS	1,194.60	23,892,000
171		CPS2.9 - 230V	CPS2.9 230V	CN	PCS	1,485.60	29,712,000
172		CPS2.12 - 230V	CPS2.12 230V	CN	PCS	1,830.00	36,600,000
173		CPS4.5 - 230V	CPS4.5 220-240V ENDSTUFE	Germany	PCS	3,498.00	69,960,000
174		CPS4.10 - 230V	CPS4.10 220-240V ENDSTUFE	Germany	PCS	4,435.20	88,704,000
175		CPS8.5 - 230V	CPS8.5 220-240V	Germany	PCS	5,055.60	101,112,000
176		RCM-810	Remote Module RCM-810	Germany	PCS	432.00	8,640,000
177	Dyncord Mixer	PM600-3-MIG	PowerMate 600-3, 100-240V, 4 Mic/Line + 4Mic/Stereo Line Channels, 6 x AUX, Dual 24 bit Stereo Effects, USB-Audio Interface, 2 x 1000 Watt	Germany	PCS	2,496.00	49,920,000
178		PM1000-3-UNIV	PowerMate 1000-3, 100-240V, 6 Mic/Line + 4Mic/Stereo Line Channels, 6 x AUX, Dual 24 bit Stereo Effects, USB-Audio Interface, 2 x 1000 Watt.	Germany	PCS	3,888.00	77,760,000
179		PM1600-3-UNIV	Power Mate 1600-3, 100-240V, 12 Mic/Line + 4Mic/Stereo Line Channels, 6 x AUX, Dual 24 bit Stereo Effects, USB-Audio Interface, 2 x 1000 Watt.	Germany	PCS	4,500.00	90,000,000
180		PM2200-3-UNIV	PowerMate 2200-3, 100-240V, 18 Mic/Line + 4Mic/Stereo Line Channels, 6 x AUX, Dual 24 bit Stereo Effects, USB-Audio Interface, 2 x 1000 Watt.	Germany	PCS	5,388.00	107,760,000
181		CMS-600-3-MIG	CMS 600-3, 100-240V, 4 Mic/Line + 4 Mic/Stereo Line Channels, 6 x AUX, Dual 24bit Stereo Effects, USB-Audio Interface.	Germany	PCS	1,483.20	29,664,000
182		CMS 1000-3-MIG	CMS 1000-3, 100-240V, 6 Mic/Line + 4 Mic/Stereo Line Channels, 6 x AUX, Dual 24bit Stereo Effects, USB-Audio Interface.	Germany	PCS	1,982.40	39,648,000
183		CMS 1600-3-MIG	CMS 1600-3, 100-240V, 12 Mic/Line + 4 Mic/Stereo Line Channels, 6 x AUX, Dual 24bit Stereo Effects, USB-Audio Interface.	Germany	PCS	2,414.40	48,288,000
184		CMS 2200-3-MIG	CMS 2200-3, 100-240V, 18 Mic/Line + 4 Mic/Stereo Line Channels, 6 x AUX, Dual 24bit Stereo Effects, USB-Audio Interface.	Germany	PCS	2,934.00	58,680,000
185	Wired Handheld Microphone	PL24S	PL24S, Vocal microphone, Dynamic, Supercardioid with on/off switch	CN	PCS	117.00	2,340,000
186		PL33	PL33, Kick drum microphone, Dynamic, Supercardioid	CN	PCS	144.00	2,880,000
187		PL35	PL35, Tom/snare microphone, Dynamic, Supercardioid, Integrated swivel and clamp	CN	PCS	114.00	2,280,000
188		PL37	PL37, Overhead microphone, Condenser, Cardioid	CN	PCS	114.60	2,292,000
189		PL44	PL44, Vocal microphone, Dynamic, Supercardioid	CN	PCS	1,142.80	22,856,000
190		PL80A	PL80a, Vocal microphone, Dynamic, Supercardioid, Ultra low noise	CN	PCS	144.00	2,880,000
191		PL80C	PL80c, Vocal microphone, Dynamic, Supercardioid, Ultra low noise / CLASSIC FINISH	CN	PCS	144.00	2,880,000
192		N/D267A	N/DYM® dynamic cardioid vocal microphone	Taiwan	PCS	150.00	3,000,000
193		N/D267AS	N/DYM® dynamic cardioid vocal microphone with switch	Taiwan	PCS	170.40	3,408,000
194		N/D367S	N/DYM® dynamic cardioid lead vocal microphone with switch	Taiwan	PCS	138.00	2,760,000
195		N/D468	N/DYM® dynamic supercardioid instrument microphone	Taiwan	PCS	207.60	4,152,000
196	N/D478	N/DYM® dynamic cardioid instrument microphone	Taiwan	PCS	184.80	3,696,000	

197		N/D767A	N/DYM® dynamic supercardioid lead vocal microphone	Taiwan	PCS	178.80	3,576,000
198		N/D868	N/DYM® dynamic cardioid variant bass drum microphone	Taiwan	PCS	274.80	5,496,000
199		N/D967	N/DYM® dynamic supercardioid concert vocal microphone	Taiwan	PCS	206.40	4,128,000
200		CO9	Dynamic cardioid vocal microphone	CN	PCS	88.80	1,776,000
201	Micro PC	PC BOUNDARY	Wired boundary multi-pattern condenser mic. Mic on/off switch, mic status LED	USA	PCS	345.60	6,912,000
202		PC BOUNDARY SAT	Wireless boundary multi-pattern condenser mic. Mic on/off switch, mic status LED. (Works only with EV RE-V, RE-2, RE-1, and Telex FMR-1000, FMR-500 or Safe-1000 wireless systems.)	USA	PCS	554.40	11,088,000
203		PC DESKTOP-12	Freestanding gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. 12-inch gooseneck	USA	PCS	444.00	8,880,000
204		PC DESKTOP-18	Freestanding gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. 18-inch gooseneck	USA	PCS	444.00	8,880,000
205		PC DESKTOP-5	Freestanding gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. 5-inch gooseneck	USA	PCS	444.00	8,880,000
206		PC PLUS-12	Multi-pattern gooseneck microphone with mic switch and universal base, 12-inch gooseneck	USA	PCS	420.60	8,412,000
207		PC PLUS-18	Multi-pattern gooseneck microphone with mic switch and universal base, 18-inch gooseneck	USA	PCS	420.60	8,412,000
208		PC PLUS-5	Multi-pattern gooseneck microphone with mic switch and universal base, 5-inch gooseneck	USA	PCS	420.60	8,412,000
209		PC SATELLITE-12	Freestanding wireless gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. (Works only with EV RE-1 or RE-2, and Telex FMR-1000, FMR-500 or Safe-1000 wireless systems.) 12-inch gooseneck	USA	PCS	553.80	11,076,000
210		PC SATELLITE-18	Freestanding wireless gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. (Works only with EV RE-1 or RE-2, and Telex FMR-1000, FMR-500 or Safe-1000 wireless systems.) 18-inch gooseneck	USA	PCS	553.80	11,076,000
211		PC SATELLITE-5	Freestanding wireless gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. (Works only with EV RE-1 or RE-2, and Telex FMR-1000, FMR-500 or Safe-1000 wireless systems.) 5-inch gooseneck	USA	PCS	553.80	11,076,000
212		PC-12/FL	Multi-pattern gooseneck microphone with flange mount, 12-inch gooseneck	USA	PCS	372.60	7,452,000
213		PC-12/XLR	Multi-pattern gooseneck microphone with XLR base, 12-inch gooseneck	USA	PCS	351.60	7,032,000
214		PC-18/FL	Multi-pattern gooseneck microphone with flange mount, 18-inch gooseneck	USA	PCS	372.60	7,452,000
215		PC-18/XLR	Multi-pattern gooseneck microphone with XLR base, 18-inch gooseneck	USA	PCS	351.60	7,032,000
216	Micro R300	R300-HD-A	R300 A Band PL22 Handheld Sys	CN	PCS	506.40	10,128,000
217		R300-L-A	R300 A Band Lapel System	CN	PCS	506.40	10,128,000
218		R300-E-A	R300 A Band Headworn System	CN	PCS	531.60	10,632,000
219		R300-HD-A-EURO	R300 A Band PL22 Handheld Sys EU/UK	CN	PCS	506.40	10,128,000
220		R300-L-A-EURO	R300 A Band Lapel System EU/UK	CN	PCS	506.40	10,128,000
221		R300-E-A-EURO	R300 A Band Headworn System EU/UK	CN	PCS	531.60	10,632,000
222		RE-2N2-A-NOPS	RE-2N2, RE-2/HTU2D-267A, BAND A, NO POWER SUPPLY	USA	PCS	844.20	16,884,000
223		RE-2-N2-C-A	RE2-N2, RE-2/HTU2D-267A W/CARRY CASE, BAND A	CN	PCS	844.20	16,884,000
224		RE-2N7-A-NOPS	RE-2N7, RE-2/HTU2D-767A, BAND A, NO POWER SUPPLY	USA	PCS	822.00	16,440,000
225		RE-2-N7-T	RE2-N7, RE-2/HTU2D-767A, BAND T	CN	PCS	894.00	17,880,000
226		RE-2-N7-C-A	RE-2N7, RE-2/HTU2D-767 W/CARRY CASE, BAND A	CN	PCS	894.00	17,880,000

227	Micro RE2	RE-2-410-A	RE2-410, RE-2/HTU2C-410, BAND A, NO POWER SUPPLY	USA	PCS	981.00	19,620,000
228		RE-2-410-T	RE2-410, RE-2/HTU2C-410, BAND T	CN	PCS	981.00	19,620,000
229		RE-2-410-C-A	RE2-410, RE-2/HTU2C-410 W/CARRY CASE, BAND A	CN	PCS	981.00	19,620,000
230		RE-2-510-C-A	RE2-510, RE-2/HTU2C-510 W/CARRY CASE, A BAND	CN	PCS	1,026.00	20,520,000
231		RE-2-E-BEIGE-C-A	RE2-E-BEIGE, RE-2/BPU-2/RE97 BEIGE W/CARRY CASE, BAND A	CN	PCS	1,346.40	26,928,000
232		RE-2-E-BROWN-C-A	RE2-E-BROWN, RE-2/BPU-2/RE97 BROWN W/CARRY CASE, BAND A	CN	PCS	1,346.40	26,928,000
233		RE-2-COMBO-C-A	RE-2 COMBO, BAND A, RE-2/BPU-2/HTU2D-267A W/CARRY CASE	CN	PCS	1,320.00	26,400,000

Điều kiện thương mại:

- 1, **Giá trên chưa bao gồm thuế VAT & chi phí vận chuyển.** Giá bán TB sẽ cộng thêm 10% VAT, chi phí vận chuyển bên mua chịu.
- 2, Tỷ giá qui đổi theo giá bán ra của NH Ngoại thương VN hoặc Thị trường tự do tại thời điểm thanh toán (Tùy theo thời điểm).
- 3, Thời gian giao hàng : Trong vòng 01-08 tuần kể từ ngày đặt hàng chính thức (tùy thời điểm và chủng loại thiết bị đặt hàng).
- 4, Thời gian bảo hành : 18 tháng trên toàn Quốc.
- 5, Điều khoản thanh toán : 30% đặt cọc, 70% trước khi giao hàng.
- 6, Bảng giá có hiệu lực: Từ 01/5/2014 cho đến khi có bảng giá cập nhật tiếp theo.

C.TY ĐIỆN TỬ THÁI HƯNG

